Notice of Allowability	Application No.	Applicant(s)
	09/773,245	HAMELEERS ET AL.
	Examiner	Art Unit
	lan N. Moore	2616
	Idil IV. Moore	2010
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>2/15/06</u> .		
2. The allowed claim(s) is/are 42-77 which have been renumbered as 1-36.		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
	·	
Attachment(e)		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. ⊠ Examiner's Amendn	
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit	8.  Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. ⊠ Other markup copy	of Abstract.
· · · · · · · · · · · · · · · · · · ·		
	•	

Application/Control Number: 09/773,245 Page 2

Art Unit: 2616

## **DETAILED ACTION**

#### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Sidney L. Weatherford on May 2, 2006.

The application has been amended as follows:

- In the abstract, "comprises" in lines 2 has been replaced with -- includes -- (see attached)
- In the abstract, "comprises" in line 5 has been replaced with -- includes -- (see attached)
- In the abstract "comprise" in line 10 has been replaced with include -- (see attached)
- Claim 42, line 9, "a call" has been replaced with -- the call --
- Claim 42, line 26, "the received information frame" has been replaced with -- the received empty information frame -
- Claim 43, line 7, "an information frame" has been replaced with -- the information frame --
- Claim 51, line 27, "the direct" has been replaced with -- a direct --
- Claim 52, line 5, "an information frame" has been replaced with -- the information frame -

Application/Control Number: 09/773,245 Page 3

Art Unit: 2616

• Claim 62, line 5, "an information frame" has been replaced with -- the information frame - -

• Claim 71, line 5, "an information frame" has been replaced with -- the information frame - -

# Response to Amendment

2. Applicant amended claims 42-43,51,60 and 70.

## Response to Arguments

3. Applicant's arguments see page 11-16, filed 2-15-2006, with respect to the amended claims 42-77 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn.

### Allowable Subject Matter

4. Claims 42-77 are allowed.

#### Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ian N. Moore whose telephone number is 571-272-3085. The examiner can normally be reached on 9:00 AM- 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Doris To can be reached on 571-272-7629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jam

INM

5-2-06

DORIS H. TO SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600